## SOILS LEGENDS

## Prime Farmland

(Only the soils considered prime farmland are listed. Urban or built-up areas of the soils listed are not considered prime farmland. If a soil is prime farmland only under certain conditions, the conditions are specified in parentheses after the soil name.)

## Winnebago County, Iowa

| Nicollet loam, 1 to 3 percent slopes  | Map<br>symbol   | Soil name  |
|---|---|--|
| 655   Crippin loam, 1 to 3 percent slopes 658   Mayer loam, 0 to 2 percent slopes (Prime farmland if drained) 777   Wapsie loam, 0 to 2 percent slopes 7778   Wapsie loam, 2 to 5 percent slopes 7878   Vinje silty clay loam, 2 to 5 percent slopes 8368   Kilkenny clay loam, 2 to 5 percent slopes | 95<br>107<br>135<br>135B<br>138B<br>150<br>168B<br>175B<br>224<br>236B<br>307<br>325<br>349<br>384<br>386<br>390<br>485B<br>507<br>583<br>585B<br>638B2<br>655<br>777<br>777B<br>787B | Harps loam, 1 to 3 percent slopes (Prime farmland if drained)   Webster clay loam, 0 to 2 percent slopes (Prime farmland if drained)   Coland clay loam, 0 to 2 percent slopes (Prime farmland if drained and either protected from   flooding or not frequently flooded during the growing season)   Coland clay loam, 2 to 5 percent slopes (Prime farmland if drained)   Colarion loam, 2 to 5 percent slopes (Prime farmland if drained)   Hayden loam, 2 to 5 percent slopes (Prime farmland if drained)   Hayden loam, 2 to 5 percent slopes     Dickinson fine sandy loam, 2 to 5 percent slopes     Linder loam, 0 to 2 percent slopes     Linder loam, 0 to 2 percent slopes     Lester loam, 2 to 5 percent slopes     Dundas silt loam, 0 to 2 percent slopes     Dundas silt loam, 0 to 1 percent slopes (Prime farmland if drained)     Le sueur loam, 1 to 3 percent slopes (Prime farmland if drained)     Collinwood silty clay loam, 0 to 2 percent slopes     Corldowa loam, 0 to 2 percent slopes (Prime farmland if drained)     Waldorf silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)     Waldorf silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)     Minnetonka silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)     Coland-spillville complex, 0 to 5 percent slopes (Prime farmland if drained)     Coland-spillville complex, 0 to 5 percent slopes (Prime farmland if drained)     Coland-spillville complex, 0 to 5 percent slopes, moderately eroded     Corippin loam, 1 to 3 percent slopes     Mayer loam, 0 to 2 percent slopes (Prime farmland if drained)     Wapsie loam, 0 to 2 percent slopes     Waysie loam, 0 to 2 percent slopes     Wapsie loam, 0 to 5 p |

USDA-NRCS, IOWA 07/16/2004